

Supersedes Revision: 01 March 2024

Safety Data Sheet Francini FORTE Large Format Porcelain

1. Product Identification

Common Name: Francini FORTE Large Format Porcelain

Use: Floor and wall coverings

Synonyms: Porcelain, Porcelain tile, Porcelain panels, porcelain slabs

Distributor:

Francini, Inc. Telephone: (818) 767-5899

11796 Sheldon Street Fax: (818) 767-5299

Sun Valley, CA 91352 24-hr Emergency phone: 208-412-6934

2. Hazards Identification

Hazard Categories: Carcinogenicity, Category 1

Specific target organ toxicity- repeat exposure, Category 1

Acute toxicity, Inhalation, Category 4

Signal Word: Danger

Hazard Statements: H350: May cause cancer

H372: Causes damage to lungs through prolonged or repeated

exposure

H332: Harmful if inhaled

Pictograms:







Supersedes Revision: 01 March 2024

Precautionary Statements: <u>Prevention</u>

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read

and understood.

P260: Do not breathe dust.

P271: Use only outdoors or in a well-ventilated area.

Response

P308+313: IF exposed to dust: Call a POISON CENTER or physician.

P314: Get Medical advice/attention if you feel unwell.

Disposal

P501: Dispose of waste in accordance with local/regional/national

regulation.

3. Composition/Information on Ingredients

Name	Synonyms	CAS	% by weight
Silica, amorphous		7631-86-9	70 – 80
Silica, crystalline	quartz	14808-60-7	10 – 15
Mullite		1302-93-8	2.5 – 5
Plagioclase	Feldspar	68476-25-5	1.5 – 4.5
K-Feldspar		68476-25-5	0 – 0.5
Corundum		1302-74-5	0 – 2.5
Zirconium Silicate		10101-52-7	0 – 2.5

4. First Aid Measures

Inhalation: Remove to fresh air if exposed to large amounts of dust. If breathing is

difficult, seek medical attention. Administer artificial respiration if

breathing has stopped.

Skin/eye contact: Wash skin with soap and water. Flush eyes with large amounts of water for

15 minutes. If irritation occurs, seek medical attention

Ingestion: Rinse mouth and drink water. Seek medical attention if discomfort occurs.



Supersedes Revision: 01 March 2024

5. Fire Fighting Measures

Extinguishing Suitable extinguishing media include water spray, foam, dry chemical, or

Procedure: CO₂.

Hazardous N/A

Combustion Products:

6. Accidental Release Measures

Personal Precautions: Do not breathe dust. Do not get in eyes. Do not handle until all

safety precautions have been read and understood. Use

personal protection recommended in Section 8.

Methods for cleanup: Avoid creating dust. Clean with high-efficiency particulate air

(HEPA) filtered vacuum or with wet methods.

7. Handling and Storage

Handling: When cutting, grinding, or otherwise generating dust, use wet methods

to reduce airborne dust generation. Use equipment with a HEPA-filtered dust collection system or local exhaust ventilation. Use respiratory protection unless task-specific air monitoring data indicates that

respirators are unnecessary.

Storage: No hazards have been identified due to storage of intact tiles, panels, or

slabs near incompatible materials. Contact with some acids may damage

or discolor the surface.



Supersedes Revision: 01 March 2024

8. Exposure Controls/Personal Protection

Occupational Exposure Limits:

Crystalline Silica: OSHA PEL

8-hour TWA: 50 μg/m³ (respirable fraction)

NIOSH REL

8-hour TWA: 50 μg/m³ (respirable fraction)

ACGIH TLV®

8-hour TWA: 25 μg/m³ (respirable fraction)

Engineering Controls, Work Practices, and PPE

Appropriate Use HEPA-filtered dust collected system with cutting/grinding tools

Engineering and Use wet cutting methods to reduce airborne dust generation

Work Practice

Controls:

UEL:

Personal Protective Wear properly fitted NIOSH/MSHA-approved respiratory protection when

Equipment: exposure limits may be exceeded.

Wear hand/skin/eye protection to avoid skin/eye exposure to dust.

9. Physical and Chemical Properties

Appearance: Brittle solid, varying color

N/A

Odor: Odorless

Odor Threshold: N/A
pH: N/A
Melting/Freezing Point: N/A
Boiling point: N/A
Flash point: N/A
Evaporation rate: N/A
Flammability: N/A
LEL: N/A



Supersedes Revision: 01 March 2024

Vapor Pressure: N/A
Vapor Density (air =1): N/A
Relative Density: N/A
Solubility: Insoluble

Partition Coefficient: N/A

Auto-Ignition temperature: Not self-inflammatory

Decomposition temperature: N/A Viscosity: N/A

10. Stability and Reactivity

Reactivity Inert

Chemical Stability: Stable under normal conditions

Incompatible Materials: Strong acids

Hazardous Decomposition

Products:

None

11. Toxicological Information

Routes of Entry: None for intact product. Inhalation and exposure to eyes/skin during

procedures involving cutting or grinding of products.

Potential Acute Health Effects:

Eyes: No acute effects are associated with intact product. Airborne dust or

debris may cause eye irritation.

Skin: No acute effects are associated with intact product. Fine dust may

cause skin irritation.

Inhalation: No acute effects are associated with intact product. Airborne dust or

debris may cause respiratory tract irritation.

Ingestion: No acute effects are associated with intact product or dust.



Supersedes Revision: 01 March 2024

Potential Chronic Health Effects:

Chronic Effects: No chronic effects are associated with intact product. Inhalation of the

respirable fraction of airborne dust may lead to the development of

silicosis, a type of pulmonary fibrosis and lung cancer.

Target organs: Lungs

Medical conditions aggravated by

Pre-existing disorders involving any target organs mentioned in this

SDS as being at risk may be aggravated by over-exposure to this

overexposure product.

Potential signs and symptoms of exposure:

Labored breathing, early fatigue. These signs/symptoms may arise from other causes.

Toxicity Data

Crystalline silica:	LC ₅₀ (rat) = Not established due to lack of acute toxicity	
	IDLH = Cristobalite and Tridymite: 25 mg/m ³ (NIOSH)	
	Quartz and Tripoli: 50 mg/m³ (NIOSH)	
	(based on 500 times the 1989 PEL)	
Carcinogen:	IARC-1, NIOSH-Ca, NTP-K, TLV-A2, MAK-1	
Mutagen:	Not classified as mutagenic	
Reproductive Toxin:	Not classified as a reproductive toxin	

12. Ecological Information

Ecotoxicity (aquatic and terrestrial): Not expected to be harmful to the environment

Persistence and degradability: N/A

Bioaccumulative potential: Not bioaccumulative

Mobility in soil: N/A
Other adverse effects: N/A



Supersedes Revision: 01 March 2024

13. Disposal Considerations

Dispose of in accordance with local, regional, federal, or international regulations.

14. Transport Information

Parameter	US DOT	Canada TDG
Proper shipping name	Non-regulated	Non-regulated
Hazard Class	Non-regulated	Non-regulated
Identification number	None	None
Shipping label	None	None

15. Regulatory Information

This product and/or its components have been previously introduced into U.S. commerce and is listed in the Toxic Substances Control Act (TSCA) Inventory of Chemicals in Commerce. Hence, it is subject to all applicable provisions and restrictions under TSCA 40 CFR Section 721 and 723.250.

Title 22 Division 2, California Code of Regulation Chapter 3 (Proposition 65): This product contains crystalline silica a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm. Title 8, Division 1, California Code of Regulation Chapter 4, Section 5204 (Cal-OSHA Emergency Temporary Standard for Silica): This product contains more than 10% crystalline silica. When performing a "high-exposure trigger task," follow Cal-OSHA's emergency temporary standard for silica. "High-exposure trigger task" includes machining, crushing, cutting, drilling, abrading, abrasive blasting, grinding, chiseling, carving, gouging, polishing, buffing, fracturing, intentional breaking, or intentional chipping of artificial stone as well as clean up, distributing, or handling of wastes, dusts, residues, debris, or other materials created during the above-listed tasks. Do not dry cut. Use one of the following wet cutting methods: (1) applying a constant, continuous, and appropriate volume of running water directly onto the surface of the stone; (2) submersing the stone underwater; or (3) water jet cutting using high pressure water to cut the stone. Wear a full face, tight-fitting powered-air purifying respirator or a respirator providing equal or greater protection equipped with a HEPA, N100, R100, or P100 filter. Use wet cleanup methods or vacuum cleaners equipped with a HEPA filter. Do not use compressed air on waste, dust, debris, residue, or other materials that may contain crystalline silica or on any surface or clothing or body surface that may contain crystalline silica.



Supersedes Revision: 01 March 2024

State Regulations: Crystalline silica as quartz (CAS: 14808-60-7)

Massachusetts - Right To Know List

New Jersey – Right to Know Hazardous Substance List

Pennsylvania – RTK (Right to Know) List

This product or its components meets the following hazard definition(s) as defined by the Occupational Safety and Health Hazard Communication Standard (29 CFR Section 1910.1200):

Combustible Liquid Compressed Gas FlammableGas Flammable Liquid Flammable Solid	Flammable AerosolExplosive _XHealth Hazard (Sections 3 & 11)Organic Peroxide	OxidizerPyrophoricUnstableWater Reactive
Based on information p	resently available, this product does not	: meet any of the hazard
Note: The information in thi	s data sheet provides information relate may be produced during cutting or othe	

16. Other Information

Revision Date: April 4, 2025

Disclaimer: The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.